

EVT SANITARY HPS

Page: 1 Compilation date: 8.5.2015 Revision date: 6.5.2015 Revision No: 2

	Revision No. 2
Section 1: Identification of the	substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name:	EVT SANITARY HPS
	es of the substance or mixture and uses advised against
Use of substance / mixture:	
1.3. Details of the supplier	
Company name:	FS Kunststofftechnologie GmbH & Co. KG
	Division EVT Sealants
	Hahnenseifenerstraße 15
	D - 51580 Reichshof - Hahn
	Germany
	+49 2297 91030
	+49 2297 1826
Email:	info@fs-kunststoff.com
1.4. Emergency telephone	number
Section 2: Hazards identification	
2.1. Classification of the s	ubstance or mixture
Classification under CLP:	-: EUH208; -: EUH210
	Contains DCOIT. May produce an allergic reaction. Safety data sheet available on
-	request.
2.2. Label elements	
Label elements:	
Hazard statements:	EUH208: Contains DCOIT. May produce an allergic reaction.
	EUH210: Safety data sheet available on request.
2.3. Other hazards	
DDT.	This product is not identified as a DPT/vDvP substance
	This product is not identified as a PBT/vPvB substance.
Section 3: Composition/inform	lation on ingredients
3.2. Mixtures	
Hazardous ingredients:	
	l registered number(s): 01-2119881778-15-0000

TRIACETOXYETHYLSILAN - REACH registered number(s): 01-2119881778-15-0000

EINECS	CAS	PBT / WEL	CLP Classification	Percent
241-677-4	17689-77-9	-	Acute Tox. 4: H302; Skin Corr. 1B: H314; Eye Dam. 1: H318	1-5%

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water. In case of persisting irritation call in a physician. Where possible show the physician container or label.

	SAFETY DATA SHEET EVT SANITARY HPS		
Eye contact:	Page: 2 After separating the eyelids immediately flush eyes thoroughly with plenty of water In		
Ingestion:	case eye irritation persists, consult an oculist. Do not induce vomiting. Wash out mouth with water. Give 1 cup of water to drink every 10 minutes. Consult a doctor.		
Inhalation:	Move to fresh air in case of accidental inhalation of vapours. Consult a doctor.		
4.2. Most important symptoms and effects, both acute and delayed			
Skin contact:	There may be irritation and redness at the site of contact. For a preparation of very		
	similar composition, minor reversible effects were observed but the preparation was not		
	irritant to skin or eyes according to EU criteria.		
Eye contact:	There may be irritation and redness. For a preparation of very similar composition,		
	minor reversible effects were observed but the preparation was not irritant to skin or		
	eyes according to EU criteria.		
Innalation:	Product releases acetic acid during curing. After curing, product is odourless and		
Delayed / immediate effects:	indifferent. Delayed effects can be expected after long-term exposure.		
	ediate medical attention and special treatment needed		
Immediate / special treatment:			
Section 5: Fire-fighting measu	res		
5.1. Extinguishing media			
Extinguishing media:	Carbon dioxide. Dry chemical powder. Water spray. Alcohol or polymer foam. Suitable		
	extinguishing media for the surrounding fire should be used.		
5.2. Special hazards arisin	5.2. Special hazards arising from the substance or mixture		
Exposure hazards: In combustion emits toxic fumes.			
5.3. Advice for fire-fighters			
_	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact		
_	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. Closed containers near to the fire should be cooled with water		
Advice for fire-fighters:	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. Closed containers near to the fire should be cooled with water (spray). Container may burst upon heating.		
_	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. Closed containers near to the fire should be cooled with water (spray). Container may burst upon heating.		
Advice for fire-fighters: Section 6: Accidental release r	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. Closed containers near to the fire should be cooled with water (spray). Container may burst upon heating.		
Advice for fire-fighters: Section 6: Accidental release r 6.1. Personal precautions,	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. Closed containers near to the fire should be cooled with water (spray). Container may burst upon heating. neasures		
Advice for fire-fighters: Section 6: Accidental release r 6.1. Personal precautions,	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. Closed containers near to the fire should be cooled with water (spray). Container may burst upon heating. neasures protective equipment and emergency procedures Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind.		
Advice for fire-fighters: Section 6: Accidental release r 6.1. Personal precautions, Personal precautions: 6.2. Environmental precau	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. Closed containers near to the fire should be cooled with water (spray). Container may burst upon heating. neasures protective equipment and emergency procedures Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind.		
Advice for fire-fighters: Section 6: Accidental release r 6.1. Personal precautions, Personal precautions: 6.2. Environmental precau Environmental precautions:	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. Closed containers near to the fire should be cooled with water (spray). Container may burst upon heating. neasures protective equipment and emergency procedures Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. tions		
Advice for fire-fighters: Section 6: Accidental release r 6.1. Personal precautions, Personal precautions: 6.2. Environmental precau Environmental precautions: 6.3. Methods and material	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. Closed containers near to the fire should be cooled with water (spray). Container may burst upon heating. measures protective equipment and emergency procedures Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. tions Do not discharge into drains or rivers. for containment and cleaning up		
Advice for fire-fighters: Section 6: Accidental release r 6.1. Personal precautions, Personal precautions: 6.2. Environmental precau Environmental precautions: 6.3. Methods and material	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. Closed containers near to the fire should be cooled with water (spray). Container may burst upon heating. measures protective equipment and emergency procedures Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. tions Do not discharge into drains or rivers.		
Advice for fire-fighters: Section 6: Accidental release r 6.1. Personal precautions, Personal precautions: 6.2. Environmental precau Environmental precautions: 6.3. Methods and material	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. Closed containers near to the fire should be cooled with water (spray). Container may burst upon heating. neasures protective equipment and emergency procedures Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. tions Do not discharge into drains or rivers. for containment and cleaning up Refer to section 13 of SDS for suitable method of disposal. Allow curing, the product can be disposed (category: commercial waste, municipal waste)		
Advice for fire-fighters: Section 6: Accidental release r 6.1. Personal precautions, Personal precautions: 6.2. Environmental precau Environmental precautions: 6.3. Methods and material Clean-up procedures:	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. Closed containers near to the fire should be cooled with water (spray). Container may burst upon heating. neasures protective equipment and emergency procedures Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. tions Do not discharge into drains or rivers. for containment and cleaning up Refer to section 13 of SDS for suitable method of disposal. Allow curing, the product can be disposed (category: commercial waste, municipal waste) etions		
Advice for fire-fighters: Section 6: Accidental release r 6.1. Personal precautions, Personal precautions: 6.2. Environmental precau Environmental precautions: 6.3. Methods and material Clean-up procedures: 6.4. Reference to other sec	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. Closed containers near to the fire should be cooled with water (spray). Container may burst upon heating. measures protective equipment and emergency procedures Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. tions Do not discharge into drains or rivers. for containment and cleaning up Refer to section 13 of SDS for suitable method of disposal. Allow curing, the product can be disposed (category: commercial waste, municipal waste) rtions Refer to section 8 of SDS.		
Advice for fire-fighters: Section 6: Accidental release r 6.1. Personal precautions, Personal precautions: 6.2. Environmental precau Environmental precautions: 6.3. Methods and material Clean-up procedures: 6.4. Reference to other sections:	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. Closed containers near to the fire should be cooled with water (spray). Container may burst upon heating. measures protective equipment and emergency procedures Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. tions Do not discharge into drains or rivers. for containment and cleaning up Refer to section 13 of SDS for suitable method of disposal. Allow curing, the product can be disposed (category: commercial waste, municipal waste) ritions Refer to section 8 of SDS. ge		
Advice for fire-fighters: Section 6: Accidental release r 6.1. Personal precautions, Personal precautions: 6.2. Environmental precaut Environmental precautions: 6.3. Methods and material Clean-up procedures: 6.4. Reference to other sections: Reference to other sections: Section 7: Handling and storage 7.1. Precautions for safe h	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. Closed containers near to the fire should be cooled with water (spray). Container may burst upon heating. measures protective equipment and emergency procedures Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. tions Do not discharge into drains or rivers. for containment and cleaning up Refer to section 13 of SDS for suitable method of disposal. Allow curing, the product can be disposed (category: commercial waste, municipal waste) ettions Refer to section 8 of SDS. ge		
Advice for fire-fighters: Section 6: Accidental release r 6.1. Personal precautions, Personal precautions: 6.2. Environmental precaut Environmental precautions: 6.3. Methods and material Clean-up procedures: 6.4. Reference to other sections: Reference to other sections: Section 7: Handling and storage 7.1. Precautions for safe h	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. Closed containers near to the fire should be cooled with water (spray). Container may burst upon heating. measures protective equipment and emergency procedures Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. tions Do not discharge into drains or rivers. for containment and cleaning up Refer to section 13 of SDS for suitable method of disposal. Allow curing, the product can be disposed (category: commercial waste, municipal waste) ritions Refer to section 8 of SDS. ge		

EVT SANITARY HPS

	EVT SANITARY HPS	
		Page: 3
7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions: Store in a cool, well ventilated area. Avoid contact with water or humidity. Keep away from		
	direct sunlight.	
Suitable packaging:	Must only be kept in original packaging.	
7.3. Specific end use(s)		
Specific end use(s):	No data available.	
Section 8: Exposure controls/p	ersonal protection	
8.1. Control parameters		
Workplace exposure limits:	No data available.	
DNEL/PNEC Values		
DNEL / PNEC	No data available.	
8.2. Exposure controls		
Engineering measures:	Ensure there is sufficient ventilation of the area.	
•••	Respiratory protection not required. Breathing apparatus	in the event of high
	concentration. Gas/vapour filter, type E: sulphur dioxide a	-
Hand protection:	Butyl gloves. Nitrile gloves. PVC gloves. Breakthrough tir	
	hour.	
Eve protection:	Safety glasses with side-shields.	
	Protective clothing.	
Section 9: Physical and chemic	al properties	
9.1. Information on basic p	hysical and chemical properties	
State:	Paste	
Colour:	Various	
	Characteristic adams	
Odour:	Characteristic odour	
Odour: Flash point°C:		flammability°C: ca. 427
	> 150 Autor	flammability°C: ca. 427 VOC g/l: < 30
Flash point°C:	> 150 Autor	-
Flash point°C: Relative density:	> 150 Autor ca. 1.0	-
Flash point°C: Relative density: 9.2. Other information	> 150 Autor ca. 1.0 No data available.	-
Flash point°C: Relative density: 9.2. Other information Other information:	> 150 Autor ca. 1.0 No data available.	-
Flash point°C: Relative density: 9.2. Other information Other information: Section 10: Stability and reactiv 10.1. Reactivity	> 150 Autor ca. 1.0 No data available.	VOC g/l: < 30
Flash point°C: Relative density: 9.2. Other information Other information: Section 10: Stability and reactiv 10.1. Reactivity	> 150 Autor ca. 1.0 No data available. /ity	VOC g/l: < 30
Flash point°C: Relative density: 9.2. Other information Other information: Section 10: Stability and reactiv 10.1. Reactivity Reactivity: 10.2. Chemical stability	> 150 Autor ca. 1.0 No data available. /ity	VOC g/l: < 30
Flash point°C: Relative density: 9.2. Other information Other information: Section 10: Stability and reactiv 10.1. Reactivity Reactivity: 10.2. Chemical stability	> 150 Autor ca. 1.0 No data available. /ity Stable under recommended transport or storage condition Stable under normal conditions.	VOC g/l: < 30
Flash point°C: Relative density: 9.2. Other information Other information: Section 10: Stability and reactive 10.1. Reactivity Reactivity: 10.2. Chemical stability Chemical stability: 10.3. Possibility of hazardo	> 150 Autor ca. 1.0 No data available. /ity Stable under recommended transport or storage condition Stable under normal conditions.	VOC g/l: < 30
Flash point°C: Relative density: 9.2. Other information Other information: Section 10: Stability and reactive 10.1. Reactivity Reactivity: 10.2. Chemical stability Chemical stability: 10.3. Possibility of hazardo	> 150 Autor ca. 1.0 No data available. <i>vity</i> Stable under recommended transport or storage condition Stable under normal conditions. us reactions	VOC g/l: < 30
Flash point°C: Relative density: 9.2. Other information Other information: Section 10: Stability and reactivity 10.1. Reactivity Reactivity: 10.2. Chemical stability Chemical stability: 10.3. Possibility of hazardo Hazardous reactions: 10.4. Conditions to avoid	> 150 Autor ca. 1.0 No data available. <i>vity</i> Stable under recommended transport or storage condition Stable under normal conditions. us reactions	VOC g/l: < 30

Materials to avoid: Water. Acids. Strong oxidising agents. Strong reducing agents.

EVT SANITARY HPS

				Page: 4
10.6. Hazardous decor	nposition products			
Haz. decomp. produc		s toxic fumes of carbon of nitrogen oxides. Silica.		oxide. In combustion
Section 11: Toxicological in	nformation			
11.1. Information on to	xicological effects			
Hazardous ingredients:				
	RAT	LD50	380	mg/kg
Toxicity valu	es: No data available.			
Symptoms / routes of e				
Skin conta	act: There may be irrita	tion and redness at the s	site of contact. For a p	reparation of very
	-	n, minor reversible effects	-	
_		es according to EU crite		
Eye conta	•	tion and redness. For a		•
	minor reversible ef eyes according to I	fects were observed but	the preparation was n	ot irritant to skin or
Inhalati		cetic acid during curing.	After curing product i	s odourless and
initiati	indifferent.	cette actu during curing.	Alter culling, product i	
Indifferent. Delayed / immediate effects: Delayed effects can be expected after long-term exposure.				
Section 12: Ecological info			·	
-				
12.1. Toxicity				
Hazardous ingredients:				
Daphnia magna		48H EC50	62	mg/l
FISCH		96H LC50		mg/l
Selenastrum capricornutum		72H IC50		μg/l
			-	
12.2. Persistence and o	degradability			
Persistence and degradabil	ity: Not biodegradable			
12.3. Bioaccumulative	potential			
Bioaccumulative potent	ial: No bioaccumulatio	n notential		
12.4. Mobility in soil				
•				
Mobil	ity: Non-volatile. Insolu	ble in water.		
12.5. Results of PBT a	nd vPvB assessment			
PBT identificati	on: This product is not	identified as a PBT/vPvE	3 substance.	
12.6. Other adverse eff	ects			
Section 13: Disposal considered	derations			

13.1. Waste treatment methods

Disposal operations: Dispose of as hazardous waste. Allow product to cure and dispose [landfilling category: commercial wastes or municipal wastes].

EVT SANITARY HPS

Waste code number: 08 04 09, 08 04 99

Disposal of packaging: Empty (clean) container can be disposed off (category: commercial waste, municipal waste).

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN0000

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

Environmentally hazardous: No

14.6. Special precautions for user

Special precautions: No special precautions.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Biocidal Products Regulation (EU 528/2012):"Contains a biocide: DCOIT. May produce an allergic reaction."

15.2. Chemical Safety Assessment

Section 16: Other information

Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	453/2010.
Phrases used in s.2 and s.3:	EUH208: Contains <name of="" sensitising="" substance="">. May produce an allergic reaction.</name>
	EUH210: Safety data sheet available on request.
	H302: Harmful if swallowed.
	H314: Causes severe skin burns and eye damage.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product.

Marine pollutant: No

Page: 5